



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports received from the State department of health and from various other sources indicate that there are an unusual number of cases of poliomyelitis in Erie, Niagara, Chautauqua, Genesee, and other counties in the vicinity of Buffalo, but the reports are not sufficiently detailed to make even an approximate numerical estimate possible. A message received September 15 from the health officer of Batavia, Genesee County, states that 14 cases have been reported in the village within the last few weeks, and that the disease seems to be on the increase there.

CHICAGO, ILL.

The following report of poliomyelitis in Chicago, Ill., was received from Dr. G. B. Young, surgeon, United States Public Health Service and commissioner of health of Chicago:

During the month of August, 1912, there was a marked increase in the number of cases of poliomyelitis reported. From July 1 to September 1 the cases aggregated 61. These cases were fairly evenly distributed over the city, and judging from the spot map there seemed to be a tendency for them to arrange themselves along certain important lines of traffic. The total number of cases from January 1 was 66 for the first eight months of 1912. During the first eight months of 1911 there were only 2 cases reported.

Poliomyelitis has been made a quarantinable disease in Chicago.

RABIES.

During the week ended August 31, 1912, there were reported by city health authorities 1 death from rabies at Chicago, Ill., and 1 case with 1 death at Cleveland, Ohio.

ROCKY MOUNTAIN SPOTTED (TICK) FEVER.

Dr. K. H. Kellogg, of Stevensville, Mont., reports a case of Rocky Mountain spotted (tick) fever at Hamilton, Mont., in a white male farmer aged 42 years. Onset of illness, August 4. Patient died August 10.

TETANUS.

CASES AND DEATHS REPORTED BY CITY HEALTH AUTHORITIES FOR THE WEEK ENDED AUG. 31, 1912.

Cities.	Cases.	Deaths.	Cities.	Cases.	Deaths.
Chicago, Ill.		1	Schenectady, N. Y.	1	
New York, N. Y.		2	Wilmington, N. C.		1
Providence, R. I.		1			

TYPHOID FEVER.

The health officer at Columbus, Ohio, reports for the week ended August 31, 1912, the occurrence of 70 cases of typhoid fever, with 2 deaths, and during the week ended September 7, 26 cases with 3 deaths.